


# Magic V2.0

## LED Track Light System


- LM80
- 
- SAA
- IP20
- TUV
- 5 Yrs Warranty

Installation type: Recessed/Suspended/Surface-mounted  
 Length: 1m / 1.5m / 2m  
 Width: 31mm  
 Cutout: 35mm  
 Surface colour: Sand white/Sand black  
 Material: Aluminium


Out put Voltage: DC24V/DC48V  
 Max load per line: 16A  
 Track maximum load power: 768W  
 Longest per line: 40m




Recessed track with wing(A type)




Recessed track with high wing(B type)



Multifunction Track Series (C type)



Surface mounted/ Suspended (D type)



Economic Surface mounted/Suspended type

# Magic V2.0




GKSRC-A (A series)




GKSRC-B (B series)




GKSRC (C series)




GKSSM-B / GKSSP\*- B  
(D series)



GKSSM



GKSSP



GKSMLL3007



GKSMLL6015



GKSMLL9022



GKSMLL12030



GKLMLL3015



GKSMGL1505




GKSMGL3007



GKSMGL3010



GKSMLS0606 / 0612



GKSMLS1212 / 1224


# Magic V2.0




GKSMSG0606 / 0612



GKSMSG1212 / 1224



GKSMS4005 / 4008



GKSMS4010 / 4016



GKSMS4005F / 4008F



GKSMS4010F / 4016F




GKSMS5508




GKSMS5515




GKSMS7615 / 7620 / 7625




GKSMP8005



GKSMP13006



GKSMP4005 / 4008



GKSMP4005F / 4008F



GKSMP5508




GKSMP5515




## MAGIC V2.0 SERIES


- Low voltage 24V/48V magnet system with professional luminaires for commercial and residential applications. The track is designed for Ceiling, Wall & Suspension installations. 35mm wide is perfect for retail and hospitality environments.
- The light hold into track by magnetic and safety lock, no wiring to save installation charge .
- Smart control system in Dali, 0-10V & wireless Zigbee 2.4G Dimmable and CCT changes are all available.



CCT: 2700K ~ 5000K



2700K 3000K 4000K 5000K





focus

PRODUCT INFORMATION



Recessed track with wing (A)  
 Item NO.: GKSRC1000A/GKSRC1500A/GKSRC2000A  
 Size: L1000/1500/2000\*W31\*H53mm  
 Material: Aluminium  
 Color: white/black





unit:mm

PRODUCT INFORMATION




Recessed track with high wing (B)  
 Item NO.: GKSRC1000B/GKSRC1500B/GKSRC2000B  
 Size: L1000/1500/2000\*W31\*H54mm  
 Material: Aluminium  
 Color: white/black




unit:mm


Accessories




ItemNO.: GKSTC9006




ItemNO.: GKSTC9007



ItemNO.: GKSTC9008




ItemNO.: GKSTC9009




ItemNO.: GKSTC9010


Accessories




ItemNO.: GKSTC9011




ItemNO.: GKSTC9012





ItemNO.: GKSTC9013



ItemNO.: GKSTC9014



ItemNO.: GKSTC9015










PRODUCT INFORMATION




Multifunction Track (C)  
 Item NO.: GKSRC1000A/GKSRC1500A/GKSRC2000A  
 Cutout: L1005/1505/2005\*W41\*H60mm  
 Material: Aluminium  
 Color: white/black




unit:mm


Accessories




ItemNO.: GKSTC9006C




ItemNO.: GKSTC9007C



ItemNO.: GKSTC9008C




ItemNO.: GKSTC9009C




ItemNO.: GKSTC9010C

PRODUCT INFORMATION




Surface mounted/Pendent track (D)  
 Item NO.: GKSSM1000B/GKSSM1500B/GKSSM2000B  
 GKSSP1000B/GKSSP1500B/GKSSP2000B  
 Size: L500/1500/2000\*W26\*H27.5mm  
 Material: Aluminium  
 Color: white/black




unit:mm


Accessories




ItemNO.: GKSTC9002B




ItemNO.: GKSTC9001B




ItemNO.: GKSTC9003B



ItemNO.: GKSTC9004B



ItemNO.: GKSTC9005B












PRODUCT INFORMATION



Surface mounted track  
 Item NO.: GKSSM1000/GKSSM1500/GKSSM2000  
 Size: L1000/1500/2000\*W30\*H54mm  
 Material: Aluminium  
 Color: white/black





unit:mm

PRODUCT INFORMATION




Pendent track  
 Item NO.: GKSRP1000/GKSSP1500/GKSSP2000  
 Size: L1000/1500/2000\*W30\*H54mm  
 Material: Aluminium  
 Color: white/black




unit:mm


Accessories




ItemNO.: GKSTC9001




ItemNO.: GKSTC9002



ItemNO.: GKSTC9003




ItemNO.: GKSTC9004




ItemNO.: GKSTC9005


Accessories




ItemNO.: GKSTC9001




ItemNO.: GKSTC9002





ItemNO.: GKSTC9003



ItemNO.: GKSTC9004




ItemNO.: GKSTC9005








PRODUCT INFORMATION



**7W Magnet linear light**  
 Item NO.: GKSMLL3007  
 Power: 7W  
 Beam Angle: 110°  
 Luminous Flux: 457~483lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3  
 CCT: 2700K/3000K/4000K/5000K






unit:mm




**15W Magnet linear light**  
 Item NO.: GKSMLL6015  
 Power: 15W  
 Beam Angle: 110°  
 Luminous Flux: 1034~1927lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3  
 CCT: 2700K/3000K/4000K/5000K



unit:mm






PRODUCT INFORMATION



**22W Magnet linear light**  
 Item NO.: GKSMLL9022  
 Power: 22W  
 Beam Angle: 110°  
 Luminous Flux: 1371~1518lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3  
 CCT: 2700K/3000K/4000K/5000K






unit:mm




**30W Magnet linear light**  
 Item NO.: GKSMLL12030  
 Power: 30W  
 Beamangle: 110°  
 Luminous Flux: 1927~1991lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3  
 CCT: 2700K/3000K/4000K/5000K



unit:mm










PRODUCT INFORMATION



**Magnet L linear light**  
 Item NO.: GKMLL3015  
 Power: 15W  
 Beam Angle: 110°  
 Luminous Flux: 1034~1066lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3  
 CCT: 2700K/3000K/4000K/5000K






unit:mm




**Magnet gimbal linear light**  
 Item NO.: GKSMGL1505  
 Power: 5W  
 Beam Angle: 110°  
 Luminous Flux: 277~287lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3  
 CCT: 2700K/3000K/4000K/5000K



unit:mm





PRODUCT INFORMATION



**Magnet gimbal linear light**  
 Item NO.: GKSMGL3007  
 Power: 7W  
 Beam Angle: 110°  
 Luminous Flux: 456~483lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3  
 CCT: 2700K~6000K






unit:mm




**Magnet gimbal linear light**  
 Item NO.: GKSMGL3010  
 Power: 10W  
 Beam Angle: 110°  
 Luminous Flux: 713lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3  
 CCT: 2700K/3000K/4000K/5000K




unit:mm








PRODUCT INFORMATION

















**Magnet linear spotlight**  
 Item NO.: GKSMLS0606/GKSMLS0612  
 Power: 6W/12W  
 Beam Angle: 17°/30°/41° (6W)  
 15°/30°/45° (12W)  
 Luminous Flux: 409lm~439lm/761lm~847lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3 UGR<15  
 CCT: 2700K/3000K/4000K/5000K



unit:mm




PRODUCT INFORMATION

















**Magnet linear spotlight**  
 Item NO.: GKSMLS1212/GKSMLS1224  
 Power: 12/20W  
 Beam Angle: 17°/30°/41° (12W)  
 15°/30°/45° (20W)  
 Luminous Flux: 812~835lm/1645lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3 UGR<15  
 CCT: 2700K/3000K/4000K/5000K



unit:mm





















PRODUCT INFORMATION



**Magnet gimbal spotlight**  
 Item NO.: GKSMGS0606/GKSMLS0612  
 Power: 6W/12W  
 Beam Angle: 17°/30°/41°(6W)  
 15°/30°/45°(12W)  
 Luminous Flux: 409~439lm/761~847lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3 UGR<15  
 CCT: 2700K/3000K/4000K/5000K

















PRODUCT INFORMATION



**Magnet gimbal spotlight**  
 Item NO.: GKSMGS1212/GKSMGS1224  
 Power: 12/24W  
 Beam Angle: 17°/30°/41°(12W)  
 15°/35°/45° (24W)  
 Luminous Flux: 812~835lm/1584~1749lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee




CRI: >90 SDCM: <3 UGR<15  
 CCT: 2700K/3000K/4000K/5000K








PRODUCT INFORMATION









**Magnet spotlight**  
 Item NO.: GKSMS4005/GKSMS4008  
 Power: 5W/8W  
 Beam Angle: 15°/24°/36°  
 Luminous Flux: 425~477lm/481~524lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee




CRI: >90 SDCM: <3  
 CCT: 2700K/3000K/4000K/5000K




unit:mm




PRODUCT INFORMATION







**Magnet spotlight**  
 Item NO.: GKSMS4010/GKSMS4016  
 Power: 10W/16W  
 Beam Angle: 15°/24°/36°  
 Luminous Flux: 829~960lm/962~1048lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3  
 CCT: 2700K/3000K/4000K/5000K



unit:mm











PRODUCT INFORMATION




**Magnet spotlight**  
 Item NO.: GKSMS4005F/GKSMS4008F  
 Power: 5W/8W  
 Beam Angle: 15°~36°  
 Luminous Flux: 390lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3  
 CCT: 2700K/3000K/4000K/5000K




unit:mm







PRODUCT INFORMATION




**Magnet spotlight**  
 Item NO.: GKSMS4010F/GKSMS4016F  
 Power: 10W/16W  
 Beam Angle: 15°~36°  
 Luminous Flux: 390lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3  
 CCT: 2700K/3000K/4000K/5000K




unit:mm

















PRODUCT INFORMATION



**Magnet spotlight**  
 Item NO.: GKSMS5508  
 Power: 8W  
 Beam Angle: 15°/24°/36°  
 Luminous Flux: 652~680lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee




CRI: >90 SDCM: <3  
 CCT: 2700K/3000K/4000K/5000K




unit:mm






PRODUCT INFORMATION





**Magnet spotlight**  
 Item NO.: GKSMS5515  
 Power: 15W  
 Beam Angle: 15°/24°/36°  
 Luminous Flux: 1278lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3  
 CCT: 2700K/3000K/4000K/5000K



unit:mm



PRODUCT INFORMATION



Magnet spotlight

Item NO.: GKSMS7615/GKSMS7620/GKSMS7625

Power: 15W/20W/25W

Beam Angle: 15°/24°/36°

Luminous Flux: 1092~1232lm/1492~1714lm/1994~2732lm














Material: Aluminium

Color: white/black


Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3  
CCT: 2700K/3000K/4000K/5000K



PRODUCT INFORMATION



Magnet suspended light

Item NO.: GKSM8005

Power: 5W

Beam Angle: 75°

Luminous Flux: 300lm


Material: Aluminium

Color: white/black


Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3  
CCT: 2700K/3000K/4000K/5000K



unit: mm



Magnet meteorite decorative chandelier

Item NO.: GKSM13006

Power: 6W

Beamangle: 220°


Luminous Flux: 370lm

Material: Glass made of special material


Material: Aluminium

Color: white/black







Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3  
CCT: 2700K/3000K/4000K/5000K



unit: mm







PRODUCT INFORMATION









Magnet suspended light  
 Item NO.: GKSM4005/GKSM4008  
 Power:5W/8W  
 Beam Angle:15°/24°/36°  
 Luminous Flux:425lm/481  
 Material:Aluminium  
 Color:white/black  
 Dim:0-10V/Dali/ZigBee




CRI:>90 SDCM:<3 UGR<15  
 CCT: 2700K/3000K/4000K/5000K




unit:mm




PRODUCT INFORMATION









Magnet suspended light  
 Item NO.: GKSM4005F/GKSM4008F  
 Power:5W/8W  
 Beam Angle:15°~36°  
 Luminous Flux:390lm/585lm  
 Material:Aluminium  
 Color:white/black  
 Dim:0-10V/Dali/ZigBee



CRI:>90 SDCM:<3 UGR<15  
 CCT: 2700K/3000K/4000K/5000K



unit:mm












PRODUCT INFORMATION




**Magnet suspended light**  
 Item NO.: GKSM5508  
 Power: 8W  
 Beam Angle: 15°/24°/36°  
 Luminous Flux: 688lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3 UGR<15  
 CCT: 2700K/3000K/4000K/5000K




unit:mm






PRODUCT INFORMATION



**Magnet suspended light**  
 Item NO.: GKSM5515  
 Power: 15W  
 Beam Angle: 15°/24°/36°  
 Luminous Flux: 902lm  
 Material: Aluminium  
 Color: white/black  
 Dim: 0-10V/Dali/ZigBee



CRI: >90 SDCM: <3 UGR<15  
 CCT: 2700K/3000K/4000K/5000K



unit:mm

